Colorado State University Extension

Xeriscaping: Trees and Shrubs

Fact Sheet No. 7.229

Gardening Series | Trees and Shrubs

by J.E. Klett and C.R. Wilson*

Plants that will prosper in Colorado's harsh climate without benefit of ample irrigation require careful selection. This is especially true of woody trees and shrubs that are more expensive investments than herbaceous plants, both in terms of money and time to grow.


As a long-term investment, select and plant trees and shrubs only after careful evaluation of the site's soil, drainage and exposure. While some xeric plants tolerate reduced water, they may not function well in soils low in oxygen. Many of the state's dense clay soils have minimal room to accommodate enough water and oxygen to meet plant root needs. Preparing soils by adding organic amendments prior to planting can often overcome water-oxygen concerns during initial establishment. Reduced water using trees and shrubs are best planted in areas separate from lawns, unless lawns are also a reduced water use type. Regardless of how durable woody plants are for survival in xeric conditions, many plants

need at least two growing seasons to establish. Water during establishment, then gradually reduce irrigation.

Adequate soil drainage plays an important role in preventing soils from water logging, which leaves no room for oxygen. Conduct a subsoil drainage test by digging an 18 x 18 inch hole, filling it with water and timing how long it takes to drain. Water that stands in the hole for more than 30 minutes indicates poor drainage. If amending the soil doesn't solve drainage problems, drain tile or planting on berms (mounds) of welldrained soil brought to the site may be other solutions. Build berms to a minimum height of 24 inches.

Some trees and shrubs may perform poorly in hot south or windy west exposures and are better sited in cooler east or north exposure.

The following list of durable trees and shrubs will prosper in reduced water situations.



Quick Facts

- · Select trees and shrubs for xeric landscapes based on both adaptation to Colorado's climate and the ability to prosper in reduced water situations.
- · Assess site soil, drainage and exposure before selecting trees and shrubs.
- · Apply adequate water during the first years of plant establishment, then gradually reduce irrigation.
- Woody plants are a long-term investment.

See Tables 1-3, pages 2-3.

> ©Colorado State University Extension. 10/99. Reviewed 7/09.

www.ext.colostate.edu

Table 1. Large trees for xeriscapes.

Plant name	Height/ Spread (ft)	Growth Rate	Comments
Acer negundo Boxelder	40 x 30	F	Fast growing shade tree for harsh sites. 'Sensation' is a seedless male tree that doesn't attract boxelder bugs, yellow to red-orange fall color.
Catalpa speciosa Western catalpa	50 x 35	M	Large, heart-shaped leaves with fragrant white flowers in June followed by long, thin seed pods.
Celtis occidentalis Common hackberry	45 x 45	М	Irregular habit when young maturing to rounded crown. Distinctive knobby bark. Trees shed leaves during drought. Red-purple berries.
Gleditsia triacanthos inermis Thornless honeylocust	35 to 55 x 25 to 45	М	Many varieties available that vary in size. Thornless and many varieties podless. Fine textured foliage turns yellow in fall.
Gymnocladus dioicus Kentucky coffeetree	55 x 35	S	Large compound leaves. Females bear seedpods that remain on trees through winter. Ridged bark, stout branches and coarse winter texture.
Juniperus scopulorum Rocky Mountain juniper	30 x 15	S	Native evergreen with blue-green foliage. Berry-like cones that are dark blue in the second year. Prefers full sun. Many varieties.
Koelreuteria paniculata Goldenrain tree	30 x 30	M	Compound leaves emerge red turn to green. Yellow clusters of flowers in summer are followed by lantern-like fruit.
Pinus aristata Bristlecone pine	35 x 20	S	Native evergreen with dark pine green needles bearing white flecks.
Pinus ponderosa Ponderosa pine	60 x 30	М	Native evergreen with long, yellow-green needles in clusters of two or three. Plate-like bark is cinnamon to dark brown.
Quercus macrocarpa Bur oak	70 x 60	М	Fiddle-shaped leaves borne on stout, corky-ridged branches. Adapts to alkaline soils. Distinctive fringed acorns.
Robinia pseudoacacia 'Purple Robe' locust	35 x 25	M	Compound leaves emerge with purple tint. Dark purple fragrant flowers in May to June. Very susceptible to locust borer.

Table 2. Small trees for xeriscapes.

Apricot white-pink blossoms, rarely bares fruit due to spring frosts. Pyrus ussuriensis 25 x 20 M White flower clusters produced before dark green leaves that Ussurian pear turn yellow in fall. 'Prairie Gem' is a dense tree with an upright, oval form and strong branching.				
Bigtooth maple (Wasatch maple) Acer tataricum Tatarian maple Crataegus ambigua Russian hawthorn Crataegus crus-galli inermis Thornless cockspur hawthorn Pinus edulis Pinyon pine Prunus armeniaca Apricot Pryrus ussuriensis Ussurian pear Quercus gambelii Dark green leaves turn red-yellow fall color. Single or multi-stemmed tree. Pink to red winged seeds in summer with yellow fall color. Tolerates alkaline soils. 'Hot Wings' is a newer variety with distinctive red fruits and reddish fall color. Lightly thorned tree with finely cut, glossy green leaves. Clusters of white flowers followed by bright red fruits. M Thornless horizontal branches bear glossy leaves, white flowers and persistent red fruit. Pinus edulis Quercus gambelii Dark green leaves turn red-yellow fall color. Single or multi-stemmed tree. Pink to red winged seeds in summer with yellow fall color. Single or multi-stemmed tree. Pink to red winged seeds in summer with yellow fall color. Single or multi-stemmed tree. Pink to red winged seeds in summer with yellow fall color. Single or multi-stemmed tree. Pink to red winged seeds in summer with yellow fall color. Single or multi-stemmed tree. Pink to red winged seeds in summer with yellow fall color. Single or multi-stemmed tree. Pink to red winged seeds in summer with yellow fall color. Single or multi-stemmed tree. Pink to red winged seeds in summer with gray-green leaves. Clusters of white flowers followed by bright red fruits. Single or multi-stemmed tree. Pink to red winged seeds in summer with gray-green leaves. Clusters of white flowers followed by bright red fruits. Shout and reddish fall color. Single or multi-stemmed tree with gray-green leaves. Clusters of white flowers followed by bright red fruits. Shout and reddish fall color. Single or multi-stemmed tree with gray-green leaves that turn yellow in fall. 'Prairie Gem' is a dense tree with an upright, oval form and strong branching. Native larges turn fed ruits. Native larges turn fed ruits. Native larges turn fed r	Plant name	•	Growth Rate	Comments
Tatarian maple summer with yellow fall color. Tolerates alkaline soils. 'Hot Wings' is a newer variety with distinctive red fruits and reddish fall color. Crataegus ambigua Russian hawthorn Crataegus crus-galli inermis Thornless cockspur hawthorn Pinus edulis Pinus edulis Pinus armeniaca Apricot Prunus armeniaca Apricot Pyrus ussuriensis Ussurian pear Summer with yellow fall color. Tolerates alkaline soils. 'Hot Wings' is a newer variety with distinctive red fruits and reddish fall color. M Lightly thorned tree with finely cut, glossy green leaves. Clusters of white flowers followed by bright red fruits. M Thornless horizontal branches bear glossy leaves, white flowers and persistent red fruit. Native, bushy evergreen with gray-green, stiff needles. Bears small, rounded cones with edible seeds. Glossy, heart-shaped leaves cover a broad, spreading tree. Early, white-pink blossoms, rarely bares fruit due to spring frosts. Pyrus ussuriensis Ussurian pear W White flower clusters produced before dark green leaves that turn yellow in fall. 'Prairie Gem' is a dense tree with an upright, oval form and strong branching. Quercus gambelii 20 x 12 M Native large shrub or small tree with irregular spreading branches		25 x 25	S	
Russian hawthorn Crataegus crus-galli inermis Thornless cockspur hawthorn Pinus edulis Prunus armeniaca Apricot Pyrus ussuriensis Ussurian pear Quercus gambelii 15 x 15 M Thornless horizontal branches bear glossy leaves, white flowers and persistent red fruit. Native, bushy evergreen with gray-green, stiff needles. Bears small, rounded cones with edible seeds. Glossy, heart-shaped leaves cover a broad, spreading tree. Early, white-pink blossoms, rarely bares fruit due to spring frosts. M White flower clusters produced before dark green leaves that turn yellow in fall. 'Prairie Gem' is a dense tree with an upright, oval form and strong branching. Quercus gambelii 20 x 12 M Native large shrub or small tree with irregular spreading branches		20 x 20	М	summer with yellow fall color. Tolerates alkaline soils. 'Hot Wings'
Thornless cockspur hawthorn Pinus edulis Pinyon pine Prunus armeniaca Apricot Pyrus ussuriensis Ussurian pear Quercus gambelii 25 x 15 S-M Native, bushy evergreen with gray-green, stiff needles. Bears small, rounded cones with edible seeds. Glossy, heart-shaped leaves cover a broad, spreading tree. Early, white-pink blossoms, rarely bares fruit due to spring frosts. M White flower clusters produced before dark green leaves that turn yellow in fall. 'Prairie Gem' is a dense tree with an upright, oval form and strong branching. Quercus gambelii 20 x 12 M Native large shrub or small tree with irregular spreading branches	0 0	20 x 15	М	
Pinyon pine Prunus armeniaca Apricot Pyrus ussuriensis Ussurian pear Quercus gambelii Pinyon pine \$\text{small, rounded cones with edible seeds.} \\ \text{M} \text{Glossy, heart-shaped leaves cover a broad, spreading tree. Early, white-pink blossoms, rarely bares fruit due to spring frosts.} \\ \text{M} \text{White flower clusters produced before dark green leaves that turn yellow in fall. 'Prairie Gem' is a dense tree with an upright, oval form and strong branching.} \\ \text{Native large shrub or small tree with irregular spreading branches} \\ \text{Native large shrub or small tree with irregular spreading branches} \\ \text{Native large shrub or small tree} \\ \text{Native large shrub or small shrub or small tree} \\ Native large shrub or small shrub o		15 x 15	M	
Apricot white-pink blossoms, rarely bares fruit due to spring frosts. Pyrus ussuriensis 25 x 20 M White flower clusters produced before dark green leaves that Ussurian pear turn yellow in fall. 'Prairie Gem' is a dense tree with an upright, oval form and strong branching. Quercus gambelii 20 x 12 M Native large shrub or small tree with irregular spreading branches		25 x 15	S-M	
Ussurian pearturn yellow in fall. 'Prairie Gem' is a dense tree with an upright, oval form and strong branching.Quercus gambelii20 x 12MNative large shrub or small tree with irregular spreading branches		20 x 20	M	Glossy, heart-shaped leaves cover a broad, spreading tree. Early, white-pink blossoms, rarely bares fruit due to spring frosts.
Quercus gambelii 20 x 12 M Native large shrub or small tree with irregular spreading branches	,	25 x 20	M	turn yellow in fall. 'Prairie Gem' is a dense tree with an upright,
	. 0	20 x 12	M	Native large shrub or small tree with irregular spreading branches

Table 3. Shrubs for xeriscapes.

Plant name	Height Spread (ft)	Flower color/month	Comments
Amorpha canescens	3 x 4	Purple/Jul-Aug	Silver-gray foliage, fine texture, fruit not important
Leadplant			01111
Artemisia cana	5 x 3	Yellow/Aug-Sept	Stiff, upright branches, slender gray leaves, native of Colorado mountain meadows
Silver artemesia Artemisia tridentata	10 x 6	Yellow/Aug-Sept	Silver, aromatic foliage; bark shreds with age, native
Big sage	10 % 0	renow/Aug-ocpt	onver, aromatic rollage, bark silieus with age, native
Atriplex canescens	5x 4	Yellow/Jul-Aug	Gray green leaves, upright spreading form, four winged fruit on
Saltbush		_	female plants, tolerates alkaline soil
Berberis thunbergii	3 x 5	Yellow/Apr-May	Dwarf and purple leafed forms available, site in good light, single
Japanese barberry Berberis x 'Tara' Emerald	4 v E	Vollow Apr Mov	spines, red persistent fruit
Carousel ™	4 x 5	Yellow-Apr-May	Rounded form, arching branches, prefers sun, red persistent fruit, orange to red fall foliage color appears early and lasts long,
Emerald Carousel barberry			good for alkaline soils
Buddleia alternifolia	10 x 8	Violet/May-Jun	Arching form, silver-gray foliage, fine texture, flowers on old wood,
'Argentea' - Silver		,	attracts butterflies, extremely hardy
Fountain butterflybush			
Caragana arborescens	12 x 10	Yellow/May-Jun	Upright, olive-green branches, bears small spines, produces pea-
Siberian peashrub	4 × 4	Diversielet to	like pods, tolerant of poor soils and windy sites
Caryopteris x clandonensis Blue mist spirea	4 x 4	Blue-violet to purple/Jul-Sept	Silver green foliage, upright branches, persistent dry tan fruit, attracts bees
Cercocarpus ledifolius	20 x 12	Cream yellow/Apr	Large shrub or small upright tree, evergreen foliage, seeds
Curlleaf mountain-mahogany	_0 x	not showy	with twisted, feathery tails; Foothills native
Cercocarpus montanus	8 x 6	Cream yellow/Apr -	Open spreading growth habit, gray-green leaves, feathery
Mountain-mahogany		May, not showy	twisted seed tails in late summer
Chamaebatiaria millefolium	5 x 6	White/Jun-Jul	Fern-like gray green leaves, fine-textured and aromatic, rounded
Fernbush	00	Vallaur/Arra Cara	form
Chrysothamnus spp. Rabbitbrush	6 x 6	Yellow/Aug-Sep	Open, rounded form, green to white stems, silvery green leaves, reseeds
Cowania mexicana	6 x 6	Creamy Whiter	Upright semi-evergreen shrub, gray-green leaves, feathery seed
Cliff rose	0 / 0	Apr-May	tails
Elaeagnus umbellata	15 x 15	Silvery flowers	Large spreading shrub, green leaves with silvery undersides,
Autumn-olive		Apr-May	may sucker and spread
Ephedra equisetina	4 x 5	Not important	Upright leafless stems are blue-green year round, red berries
Bluestem jointfir	E v E	Mbito/May, Aug	midsummer on female plants
Fallugia paradoxa Apache plume	5 x 5	White/May-Aug	Small leaves, fine-textured, whitish stems, rose-colored feathery- tailed seeds, some suckering
Fendlera rupicola	5 x 5	White/Jun	Glossy foliage, new reddish bark turns gray with age, upright
Cliff fendlerbush			irregular growth, fragrant flowers
Forestiera neomexicana	12 x 10	Yellow/Apr	Erect arching branches, rounded form, blue-black fruit on female,
New Mexican privet			yellow fall color
Hippophae rhamnoides	18 x 12	Yellow/Mar-Apr	Upright, spreading shrub with slender thorns, narrow silvery
Sea-buckthorn Holodiscus dumosus	4 x 4	White/May-Jun	leaves, orange fruit on females persists into winter Upright spreading habit, fine-textured foliage turns red in fall,
Rock spirea	4 / 4	Wille/May-Juli	rust colored seedheads in fall
Juniperus spp.	Many sizes	Not important	Available in many foliage colors, forms and textures, see
Juniper	,	·	Evergreen Shrubs fact sheet 7.414
Ligustrum vulgare	10 x 6	White/Jun-Jul	Upright, rapid grower, dark green foliage, black fruit in late
'Cheyenne', Cheyenne privet			summer into winter, used for hedges, fragrant flowers
Pinus mugo	Many sizes	Not important	Many forms and growth habits, see Evergreen shrubs fact sheet
Mugo pine Potentilla fruticosa	7.414 4 x 4	Yellow/White/Pink	Compact, spreading and upright forms, varied foliage color, full
Cinquefoil (potentilla)	7.7	Jun-frost	sun for best flowering
Prunus besseyi	6 x 6	White/Apr-May	Upright rounded form, gray green leaves, purplish black fruit,
Sand cherry		, ,	red fall color
Rhus glabra cismontana	6 x 6	Yellow/Jun-Jul	Rounded, suckering shrub, red fall color, fuzzy maroon
Smooth sumac	0 0	Mallana Mana	persistent fruit
Rhus trilobata Threeleaf sumac	6 x 6	Yellow, May	Dense rounded shrub, three-lobed leaves turn orange to red in fall, some red fruit
Rosa woodsii	6 x 6	Pink/June	Arching branches, red-brown stems with loose prickles, red hips
Native pink rose	0 X 0	Tillikybune	persistent, orange to red fall color
Rubus deliciosus	6 x 6	White/May-Jun	Slender arching branches form vase-shaped habit, small purple
Boulder raspberry		,	fruit in late summer
Shepherdia argentea	15 x 12	Yellow/Apr-May	Dense spreading branches with spines, silvery-green leaves,
Silver buffaloberry			yellow to orange-red berries on female plants
Symphoricarpos albus	4 x 4	White/Jun	Arching, spreading habit with blue-green foliage, white blue-green
Snowberry Symphoricarpos x chenaultii	3 x 6	Pink/Jun	foliage, white berries persist, suckers Spreading growth habit with blue-green fine textured foliage,
'Hancock'	3 7 0	i iiik/Julii	red berries persist. excellent ground cover
Hancock coralberry			
Syringa vulgaris	15 x 12	Purple/Apr-May	Upright vase-shaped form, heart-shaped blue-green leaves
Common lilac			
Viburnum lantana	12 x 10	White/May	Broad rounded form, dark green, leathery foliage with deep set veins, crimson fruit turns black in fall, burgundy red fall color
Wayfaring tree viburnum			

Colorado State University, U.S. Department of Agriculture and Colorado counties cooperating. CSU Extension programs are available to all without discrimination. No endorsement of products mentioned is intended nor is criticism implied of products not mentioned.